


# West Nile virus and other domestic arboviral activity -- United States, 2018 Provisional data reported to ArboNET

Tuesday, June 12, 2018

This update from the CDC Arboviral Disease Branch includes provisional data reported to ArboNET for **January 1 – June 12, 2018** for West Nile virus and selected other nationally notifiable domestic arboviruses. Additional resources for ArboNET and arboviral diseases are provided on page 8.

### West Nile virus (WNV) activity in 2018

As of June 12<sup>th</sup>, 23 counties from 12 states have reported WNV activity to ArboNET for 2018, including two states with reported WNV human infections (i.e., disease cases or viremic blood donors) and 10 additional states with reported WNV activity in non-human species only (i.e., veterinary cases, mosquito pools, dead birds, or sentinel animals) [Figure 1].





## Reported WNV disease cases

No human WNV disease cases have been reported to ArboNET for 2018.

# Presumptive viremic donors (PVDs)

Overall, two WNV PVDs have been reported from two states (Alabama and South Dakota) [Table 1].

Table 1. West Nile virus infections in humans reported to ArboNET, 2018


	Hu	Presumptive viremic blood			
State	Neuroinvasive	Non-neuroinvasive	Total	Deaths	donors
Alabama	0	0	0	0	1
South Dakota	0	0	0	0	1
Totals	0	0	0	0	2

<sup>\*</sup>Includes confirmed and probable cases




# Eastern equine encephalitis virus (EEEV) activity in 2018

As of June 12<sup>th</sup>, 21 counties in Florida have reported EEEV activity in non-human species to ArboNET for 2018 [**Figure 2**]. To date, no human cases of EEEV disease have been reported.





<u>Jamestown Canyon virus (JCV) activity in 2018</u>
As of June 12<sup>th</sup>, no human cases of JCV disease or JCV activity in non-human species have been reported to ArboNET for 2018 [Figure 3].





# La Crosse encephalitis virus (LACV) activity in 2018

As of June 12<sup>th</sup>, one county in Tennessee has reported a human case of LACV disease to ArboNET for 2018 [**Figure 4 and Table 2**]. To date, no LACV activity in non-human species has been reported to ArboNET for 2018.




Table 2. La Crosse encephalitis virus human disease cases reported to ArboNET, United States, 2018

	Neuroinvasive disease cases	Nonneuroinvasive disease cases	Total cases*	Deaths
Tennessee	0	1	1	0
Totals	0	1	1	0

<sup>\*</sup>Includes confirmed and probable cases.



<u>Powassan virus (POWV) activity in 2018</u>
As of June 12<sup>th</sup>, one county in Massachusetts has reported a human case of POWV disease to ArboNET for 2018 [Figure 5 and Table 3].




Table 3. Powassan virus human disease cases reported to ArboNET, United States, 2018


	Neuroinvasive	Nonneuroinvasive		
	disease cases	disease cases	Total cases*	<b>Deaths</b>
Massachusetts	1	0	1	0
Totals	1	0	1	0

<sup>\*</sup>Includes confirmed and probable cases.



# St. Louis encephalitis virus (SLEV) activity in 2018

As of June 12<sup>th</sup>, one county in Arizona has reported SLEV activity in non-human species to ArboNET for 2018 [Figure 6]. To date, no human cases of SLEV disease have been reported.





### **About ArboNET**

ArboNET is a national arboviral surveillance system managed by CDC and state health departments. In addition to human disease, ArboNET maintains data on arboviral infections among presumptive viremic blood donors (PVDs), veterinary disease cases, mosquitoes, dead birds, and sentinel animals. As with other national surveillance data, ArboNET data has several limitations that should be considered in analysis, interpretation, and reporting [Box].

#### **Box: Limitations of ArboNET data**

The following should be considered in the analysis, interpretation, and reporting of ArboNET data:

- 1. ArboNET is a passive surveillance system. It is dependent on clinicians considering the diagnosis of an arboviral disease and obtaining the appropriate diagnostic test, and reporting of laboratory-confirmed cases to public health authorities. Diagnosis and reporting are incomplete, and the incidence of arboviral diseases is underestimated.
- 2. Reported neuroinvasive disease cases are considered the most accurate indicator of arboviral activity in humans because of the substantial associated morbidity. In contrast, reported cases of nonneuroinvasive arboviral disease are more likely to be affected by disease awareness and healthcare-seeking behavior in different communities and by the availability and specificity of laboratory tests performed. Surveillance data for nonneuroinvasive disease should be interpreted with caution and generally should not be used to make comparisons between geographic areas or over time.

## **Additional resources**

For additional arboviral disease information and data, please visit the following websites:

- CDC's Division of Vector-Borne Diseases: http://www.cdc.gov/ncezid/dvbd/
- National Notifiable Diseases Surveillance System:
   <a href="http://wwwn.cdc.gov/nndss/conditions/arboviral-diseases-neuroinvasive-and-non-neuroinvasive/case-definition/2015/">http://wwwn.cdc.gov/nndss/conditions/arboviral-diseases-neuroinvasive-and-non-neuroinvasive/case-definition/2015/</a>
- CDC Disease Maps
   https://wwwnd.cdc.gov/arbonet/Maps/ADB\_Diseases\_Map/index.html
- AABB (American Association of Blood Banks): www.aabb.org/programs/biovigilance/Pages/wnv.aspx